

deconex[®] 26 PLUS

Neutralizer and pre-cleaner based on inorganic acid

For automated application in instrument reprocessing and in laboratories. Liquid.



Application

deconex 26 PLUS is used as an acidic neutralizer in the central sterile supply and in laboratories after mildly alkaline or alkaline cleaning steps. deconex 26 PLUS can also be used to remove acid soluble deposits.

Properties

deconex 26 PLUS is:

- acidic
- based on inorganic acid
- free of surfactants and
- liquid

deconex 26 PLUS is an acidic neutralizer, applied in special washing machines after the cleaning step. The product effectively removes alkaline residues from washing goods, thereby preventing spots on- and irreversible damage of the materials, which could occur later on, e.g. during sterilization.

Dosierung

The optimum dosage depends mainly on the quantity of alkaline residues. Therefore, please pay attention to a complete drainage of the alkaline washing fleet.

In practice, the following dosage has given good results:

| | |
|-----------------|------------|
| deconex 26 PLUS | 0.5-2 ml/l |
| Temperature | 20-50 °C |

deconex 26 PLUS can also be used as a pre-cleaner to remove acid soluble deposits from instruments and materials, as for example lime residues. Moreover, it removes lime deposits in washing machines and washing conveyors.

In the central sterile supply, deconex 26 PLUS can be used as a neutralizer in instrument reprocessing. It is applied after the mildly alkaline or alkaline cleaning of surgical instruments made of stainless steel. For the universal application in laboratories, deconex 26 PLUS can be used in combination with all alkaline cleaning products.

In the dairy industry, deconex 26 PLUS is used to prevent and to remove acid soluble deposits, e.g. milkstone.

Ingredient

Inorganic acid

deconex® 26 PLUS

Information on use

deconex 26 PLUS is not suitable as a neutralizer for instruments made of aluminium. For such instruments as well as for anaesthesia material we recommend you to use deconex 25 ORGANACID for neutralization.

Generally, we recommend you:

- a proper loading of washing goods in racks and machines (avoid overloading)
- to ensure all washing goods come into contact with the neutralizer/pre-cleaner during the process
- to take care of a complete drainage of the washing fleet before neutralization and
- to use demineralized water for final rinsing

Chemical/physical data

| | | |
|--|------------------------------------|---------------------------------|
| pH | 1% solution in demineralized water | approx. 1.8 |
| Density | concentrate | 1.42 g/ml |
| Appearance | concentrate | transparent, colourless |
| Titrate procedure | with 1.0 n potassium hydroxide | indicator: phenolphthalein |
| Consumption of 1.0 n potassium hydroxide | for 100 ml fresh washing fleet | 11.4 ml/1% (w/w) of concentrate |

Availability

Please ask your local representative about current container sizes.

Containers, screw caps and labels are made of recyclable polyethylene.

Material compatibility

Suitable for:

Stainless steel, laboratory glassware, ceramics, synthetic material

Not suitable for:

Aluminium and zinc

For materials not mentioned please make your own specific compatibility tests or consult Borer Chemie AG.

Additional information

For information concerning safety at work, storage and waste disposal/effluent, please consult the corresponding safety data sheet.

Take advantage of our vast know-how! Please, contact us for further information regarding your specific application.



11924 Forest Hill Blvd., Suite 22-162, Wellington, FL 33414
Tel. +1 561 784 56 43, Fax. +1 561 880 68 97
www.racoma.com, contact@racoma.com

Manufacturer:

Borer Chemie AG

Gewerbestrasse 13, 4528 Zuchwil / Switzerland
Tel +41 32 686 56 00 Fax +41 32 686 56 90
office@borer.ch, www.borer.ch

All information provided is based on our current knowledge and it does not constitute a legally binding assurance of specific product properties.